Author Index to Volume 17

Abell, A. K.
—; Leinfelder, K. F.; Turner, D. T.: Microscopic observations of the wear of a tooth restorative composite *in vivo*, 501
Abou-Tabl, Z. M.
—; Tidy, D. C.; Combe, E. C.; Grant, A. A.: The development of modified denture base materials, 885
Absolom, D. R. See Neumann, A. W., 375
Akeson, W. H. See Woo, S. L-Y., 427
Anderson, J. M. See Marchant, R., 301
Review of *Biological Performance of Materials—Fundamentals of Biocompatibility*, by Jonathan Black, 557
Andrade, J. D. See Triolo, P. M., 129, 149
Arends, J. See van der Valk, P., 807; van Pelt, A. W. J., 637
Armer, T. A. See McPhillips, D. M., 993
Arundel, P. A. See Bagnall, R. D., 459
Atsuta, M.
—; Nagata, K.; Turner, D. T.: Strong composites of dimethylacrylates with 4-methacryloxyethyl trimellitic anhydride, 679
Autian, J. See Dillingham, E. O., 945

Bagnall, R. D.
—; Arundel, P. A.: A method for the prediction of protein adsorption on implant surfaces, 459
Basmadjian, D.
—; Sefton, M. V.: Relationship between release rate and surface concentration for heparinized materials, 509
Baswell, I. See Sander, T. W., 587
Biswas, G. See Raghunath, K., 613
Black, J. See Woodman, J. L., 655
Blais, P. See Guidoin, R., 1049
Boretos, J. W. See Galletti, P. M., 539; Pierce, W. S., 389
Brandes, J. M. See Sideman, S., 91
Braunwald, N. S. See Schoen, F. J., 715
Brown, L. L. See Jakobsen, R. J., 199
Brown, R. F. See Fahr, A., 395
Buchanan, R. A. See Griffin, C. D., 489
Buckles, R. G.
Biomaterials for drug delivery systems, 109
Bundy, K. J.
—; Marek, M.; Hochman, R. F.: *In vivo* and *in vitro* studies of the stress–corrosion cracking behavior of surgical implant alloys, 467
Burstein, A. H. See Hood, R. W., 829
Busscher, H. J. See van der Valk, P., 807; van Pelt, A. W. J., 637
Butts, M. B. See Marek, M., 921

Chignier, E.
—; Guidollet, J.; Heynen, Y.; Serres, M.; Clendinnen, G.; Louisot, P.; Eloy, R.: Macromolecular, histological, ultrastructural and immunocytochemical characteristics of the neointima developed within PTFE vascular grafts. Experimental study in dogs, 623
Chu, C. C.
—; Williams, D. F.: The effect of gamma irradiation on the enzymatic degradation of polyglycolic acid absorbable sutures, 1029
Chvapil, M. See Raghunath, K., 613
Clendinnen, G. See Chignier, E., 623
Cobb, E. See Wu, W., 37
Combe, E. C. See Abou-Tabl, Z. M., 885
Cook, S. D.
—; Weinstein, A. M.; Klawitter, J. J.: The retention mechanics of LTI carbon, carbon-coated aluminum oxide, and uncoated aluminum oxide dental implants, 873
—; Weinstein, A. M.; Klawitter, J. J.; Kent, J. N.: Quantitative histologic evaluation of LTI carbon, carbon-coated aluminum oxide and uncoated aluminum oxide dental implants, 519
Cook, W. D.
Degradative analysis of glass ionomer polyelectrolyte cements, 1015
Setting of dental polyelectrolyte cements–viscosity studies of model systems, 283
—; Standish, P. M.: Polymerization kinetics of resin-based restorative materials, 275
Cooper, S. L. See Lelah, M. D., 1
Cranin, A. N.
Review of *Clinical Applications of Biomaterials*, A. J. C. Lee, T. Albrektsson, and P. I. Branemark, 899
Review of *Systemic Aspects of Biocompatibility*, David F. Williams, Ed., 900
Crowninshield, R. D.
—; Tolbert, J. R.: Cement strain measurement surrounding loose and well-fixed femoral component stems, 819

Dabezies, E. J. See Shoji, H., 669
D'ambrosia, R. D. See Shoji, H., 669
D'Andrea, M. J. See Ronel, S. H., 855
Day, D. E. See Fahr, A., 395
de Groot, K. See Klein, C. P. A. T., 769
de Jong, H. P. See van der Valk, P., 807; van Pelt, A. W. J., 637
De Meester, P. See Ducheyne, P., 45
Dermann, K. See Wu, W., 37
Dillingham, E. O.
—; Lawrence, W. H.; Autian, J.; Schmalz, G.: Acrylate and methacrylate esters: Relationship of hemolytic activity and *in vivo* toxicity, 945
Dobbs, H. S.
—; Robertson, J. L. M.: The incidence and significance of rub marks on the stem of removed total hip replacements, 83
Dobelle, W. H. See Klomp, G. F., 865; Ronel, S. H., 855
Domurado, D. See Guidoin, R., 1049
Driessen, A. A. See Klein, C. P. A. T., 769
Ducheyne, P.
—; Wevers, M.; De Meester, P.: Fatigue properties of implant materials in hip prosthesis form: A standardized test, 45

Eklund, G. See Kallus, T., 735
Eloy, R. See Chignier, E., 623

Fahr, A.
—; Brown, R. F.; Day, D. E.: *In vivo* and *in vitro* aging of orthopedic aluminas, 395
Fairhurst, C. W. See Marek, M., 921
Farris, C. See Gettleman, L., 731

Ferry, C. H. See Mabie, C. P., 691
Fischer, D. J. See Gettleman, L., 731
Francis, D. W. See Neumann, A. W., 375
Fujishige, S. See Shimizu, T., 597

Galante, J. See Ronningen, H., 643
Galletti, P. M.
—; Boretos, J. W.: Report on the Consensus Development Conference on "Clinical Applications of Biomaterials," 1–3 November 1983, 539
Garvin, P. J. See Johnson, H. J., 571
Gendreau, R. M. See Jakobsen, R. J., 199
Gettleman, L.
—; Fischer, D. J.; Farris, C.: Self-sanitizing soft denture liners: Paradoxical results (Note), 731
Ghandur-Mnaymneh, L. See Tarr, R. R., 785
Gibbons, D. F. See Taylor, S. R., 205
Glentworth, P. See Moores, G. E., 843
Gomez, M. A. See Woo, S. L-Y., 427
Goosen, M. F. A.
—; Sefton, M. V.: Properties of a heparin-poly(vinyl alcohol) hydrogel coating, 359
Gosselin, C. See Guidoin, R., 1049
Grant, A. A. See Abou-Tabl, Z. M., 885
Graydon, W. F. See Uhlig, E. L. P., 931
Griffin, C. D.
—; Buchanan, R. A.; Lemons, J. E.: *In vitro* electrochemical corrosion study of coupled surgical implant materials, 489
Grimova, J. See Hrabak, F., 179
Guidoin, R.
—; Gosselin, C.; Marois, M.; Martin, L.; Laroche, F.; King, M.; Gunasekera, K.; Domurado, D.; Sigot-Luizard, M. F.; Blais, P.: Polyester prostheses as substitutes in the thoracic aorta of dogs. I. Evaluation of commercial prostheses, 1049
Guidollet, J. See Chignier, E., 623
Gunasekera, K. See Guidoin, R., 1049

Hamlin, C. See Marchant, R., 301
Harper, M. C.
—; Ralston, M.: Isobutyl 2-cyanoacrylate as an osseous adhesive in the repair of osteochondral fractures, 167
Harrison, A. See Moores, G. E., 843
Hashiguchi, H. See Klomp, G. F., 865; Ronel, S. H., 855
Hensten-Pettersen, A. See Kallus, T., 741; Wennberg, A., 23
Heynen, Y. See Chignier, E., 623
Hiltner, A. See Marchant, R., 301
Hochman, R. F. See Bundy, K. J., 467
Hollinger, J. O.
Preliminary report on the osteogenic potential of a biodegradable copolymer of polyactide (PLA) and polyglycolide (PGA), 71
Hood, R. W.
—; Wright, T. M.; Burstein, A. H.: Retrieval analysis of total knee prostheses: A method and its application to 48 total condylar prostheses, 829
Hosaka, S.
—; Ozawa, H.; Tanzawa, H.; Ishida, H.; Yoshimura, K.; Momose, T.; Magatani, H.; Nakajima, A.: Analysis of deposits on high water content contact lenses, 261
Hrabak, F.
—; Grimova, J.; Maturova, E.; Kuchar, M.: Polymer analogs of 3-chloro-4-benzyloxyphenylacetic acid and their pharmacological activity, 179

Imai, Y. See Imai, Y., 905
—; Watanabe, A.; Masuhara, E.; Imai, Y.: Structure–biocompatibility relationship of condensation polymers, 905
Ishida, H. See Hosaka, S., 261

Jakobsen, R. J.
—; Brown, L. L.; Winters, S.; Gendreau, R. M.: Effects of flow rate and solution concentration on *in situ* protein adsorption behavior (Note), 199
Johnson, H. J.
—; Northup, S. J.; Seagraves, P. A.; Garvin, P. J.; Wallin, R. F.: Biocompatibility test procedures for materials evaluation *in vitro*. I. Comparative test system sensitivity, 571
Jorge, R. See Tarr, R. R., 785
Joseph, K. T. See Raghunath, K., 613

Kallus, T.
—; Eklund, G.: Instrumentation for preparation and placement of subcutaneous implants, 735
—; Hensten-Pettersen, A.; Mjor, I. A.: Tissue response to allergenic leachables from dental materials, 741
Karube, S. See Shoji, H., 669
Kataoka, K. See Yui, N., 383
Kelliher, E. M. See Robblee, L. S., 327
Kent, J. N. See Cook, S. D., 519
King, M. See Guidoin, R., 1049
Klawitter, J. J. See Cook, S. D., 519, 873
Klein, C. P. A. T.
—; Driessen, A. A.; de Groot, K.; van den Hooff, A.: Biodegradation behavior of various calcium phosphate materials in bone tissue, 769
Klomp, G. F. See Ronel, S. H., 855
—; Hashiguchi, H.; Ursell, P. C.; Takeda, Y.; Taguchi, T.; Dobelle, W. H.: Macroporous hydrogel membranes for a hybrid artifical pancreas. II. Biocompatibility, 865
Kolarik, J.
—; Migliaresi, C.: Mechanical properties of hydrophilic copolymers of 2-hydroxyethyl methacrylate with ethyl acrylate, *n*-butyl acrylate, and dodecyl methacrylate, 757
Kondo, T. See Muramatsu, N., 959
Kuchar, M. See Hrabak, F., 179
Kusleika, R.
—; Stupp, S. I.: Mechanical strength of poly(methyl methacrylate) cement-human bone interfaces, 441
Kusy, R. P.
—; Whitley, J. Q.: Creep rupture behavior of polypropylene suture material and its applications as a time-release mechanism, 411

Lambrecht, L. K. See Lelah, M. D., 1
Lambrechts, P.
—; Vanherle, G.: Structural evidences of the microfilled composites, 249
Langmuir, M. E. See Robblee, L. S., 327
Laroche, F. See Guidoin, R., 1049
Lather, C. See Sharefkin, J. B., 345
Latta, L. L. See Tarr, R. R., 785
Lawrence, W. H. See Dillingham, E. O., 945
Lee, D. See Schnur, D. S., 973
Leidner, J.
—; Wong, E. W. C.; MacGregor, D. C.; Wilson, G. J.: A novel process for the manufacturing of porous grafts: Process description and product evaluation, 229
Leinfelder, K. F. See Abell, A. K., 501
Lelah, M. D.
—; Lambrecht, L. K.; Young, B. R.; Cooper, S. L.: Physicochemical characterization and *in vivo* blood tolerability of cast and extended Biomer, 1
Lemons, J. E. See Griffin, C. D., 489
Lereim, P. See Ronningen, H., 643
Lin, J-H. C.
—; Marshall, G. W.; Marshall, S. J.: Corrosion product formation sequence on Cu-rich amalgams in various solutions, 913
Louisot, P. See Chignier, E., 623
Lupovitch, S. See Sideman, S., 91

Mabie, C. P.
—; Menis, D. L.; Whitenton, E. P.; Trout, R. L.; Metherate, R. S.; Ferry, C. H.: Gel route preparation of low fusing dental porcelain frit, 691
MacGregor, D. C. See Leidner, J., 229
Magatani, H. See Hosaka, S., 261
Marchant, R.
—; Hiltner, A.; Hamlin, C.; Rabinovitch, A.; Slobodkin, R.; Anderson, J. M.: *In Vivo* biocompatibility studies. I. The cage implant system and a biodegradable hydrogel, 301
Marek, M. See Bundy, K. J., 467
—; Okabe, T.; Butts, M. B.; Fairhurst, C. W.: Corrosion of the η'(Cu–Sn) phase in dental amalgam, 921
Marois, M. See Guidoin, R., 1049
Marshall, G. W. See Lin, J-H. C., 913
Marshall, S. J. See Lin, J-H. C., 913
Martin, L. See Guidoin, R., 1049
Masuhara, E. See Imai, Y., 905
Matlaga, B. F.
—; Salthouse, T. N.: Ultrastructural observations of cells at the interface of a biodegradable polymer: Polyglactin 910, 185
Maturova, E. See Hrabak, F., 179
Mayer, R. D.
—; Moyle, D. D.; Sauer, B. W.: Fracture of porous polyethylene-bone composite, 59
McHardy, J. See Robblee, L. S., 327
McPhillips, D. M.
—; Armer, T. A.; Owen, D. R.: Grafted synthetic sorbents for enhanced removal of toxic chemical agents from plasma, 993
Menis, D. L. See Mabie, C. P., 691
Metherate, R. S. See Mabie, C. P., 691
Migliaresi, C. See Kolarik, J., 757
Miller, D. R. See Shoji, H., 669
Mjor, I. A. See Kallus, T., 741; Wennberg, A., 23
Momose, T. See Hosaka, S., 261
Moores, G. E.
—; Glentworth, P.; Harrison, A.: Measurement of the rate of wear of dental composite resins by a ^{90}Sr beta particle transmission gauge, 843
Mor, L. See Sideman, S., 91
Moyle, D. D. See Mayer, R. D., 59
Muramatsu, N.
—; Kondo, T.: Platelet adhesion onto microcapsule membranes with different degrees of sulfonation, 959

Nagata, K. See Atsuta, M., 679
Nakajima, A. See Hosaka, S., 261
Neumann, A. W.
—; Francis, D. W.; Zingg, W.; van Oss, C. J.; Absolom, D. R.: Comments on the origin of platelet deposition and on cell adhesion to biomaterial surfaces (Letter), 375
Northup, S. J. See Johnson, H. J., 571
Nunamaker, D. M. See Woodman, J. L., 655

Ogata, N. See Yui, N., 383
Oh, I. See Sander, T. W., 587
Okabe, T. See Marek, M., 921
Okano, T. See Yui, N., 383
Okazaki, M.
—; Yoshida, F.: Mass transfer rates in hemodialyzers—An empirical correlation, 561
Owen, D. R. See McPhillips, D. M., 993
Ozawa, H. See Hosaka, S., 261

Pal, S. See Saha, S., 1041
Peppas, N. A.
A model of dissolution-controlled solute release from porous drug delivery polymeric systems, 1079
Pierce, W. S.
—; Boretos, J. W.: The dilemma of patient exposure to ubiquitous foreign particles (Note), 389

Rabinovitch, A. See Marchant, R., 301
Raghunath, K.
—; Biswas, G.; Rao, K. P.; Joseph, K. T.; Chvapil, M.: Some characteristics of collagen–heparin complex, 613
Ralston, M. See Harper, M. C., 167
Rao, K. P. See Raghunath, K., 613
Rich, N. M. See Sharefkin, J. B., 345
Robblee, L. S.
—; Kelliher, E. M.; Langmuir, M. E.; Vartanian, H.; McHardy, J.: Preparation of etched tantalum semimicro capacitor stimulation electrodes, 327
Robertson, J. L. M. See Dobbs, H. S., 83
Ronel, S. H.
—; D'Andrea, M. J.; Hashiguchi, H.; Klomp, G. F.; Dobelle, W. H.: Macroporous hydrogel membranes for a hybrid artificial pancreas. I. Synthesis and chamber fabrication, 855
Ronningen, H.
—; Lereim, P.; Galante, J.; Rostoker, W.; Turner, T.; Urban, R.: Total surface hip arthroplasty in dogs using a fiber metal composite as a fixation method, 643
Rostoker, W. See Ronningen, H., 643
Rupp, N. W. See Wu, W., 37

Saha, S.
—; Pal, S.: Strain-rate dependence of the compressive properties of normal and carbon-fiber-reinforced bone cement, 1041
Sakurai, Y. See Yui, N., 383
Salthouse, T. N. See Matlaga, B. F., 185
Sander, T. W.
—; Treharne, R. W.; Baswell, I.; Oh, I.: Development of a new orthopedic wire fatigue tester, 587
Sanui, K. See Yui, N., 383
Sauer, B. W. See Mayer, R. D., 59
Schmalz, G. See Dillingham, E. O., 945
Schnur, D. S.
—; Lee, D.: Stiffness and inelastic deformation in acrylic-titanium composite implant materials under compression, 973
Schoen, F. J.
—; Braunwald, N. S.: Key references in biomaterials: Heart valve replacement, 715
Seagraves, P. A. See Johnson, H. J., 571
Sefton, M. V. See Basmadjian, D., 509; Goosen, M. F. A., 359
Seguchi, Y. See Woo, S. L-Y., 427
Serres, M. See Chignier, E., 623
Sharefkin, J. B.
—; Lather, C.; Smith, M.; Rich, N. M.: Endothelial cell labeling with indium-111-oxine as a marker of cell attachment to bioprosthetic surfaces, 345
Shimizu, T.
—; Fujishige, S.: A newly prepared surface-treated oxystarch for removal of urea, 597
Shoji, H.
—; Karube, S.; D'ambrosia, R. D.; Dabezies, E. J.; Miller, D. R.: Biochemical features of pseudomembrane at the bone–cement interface of loosened total hip prostheses, 669
Sideman, S.
—; Mor, L.; Brandes, J. M.; Lupovitch, S.: Preparation of a biocompatible albumin-coated ion exchange resin for bilirubin removal from the blood of jaundiced newborns, 91
Sigot-Luizard, M. F. See Guidoin, R., 1049
Simon, B. R. See Woo, S. L-Y., 427
Slobodkin, R. See Marchant, R., 301
Smith, M. See Sharefkin, J. B., 345
Spector, M. See Vandersteenhoven, J. J., 793, 1003
Spiers, R. R. See von Fraunhofer, J. A., 293
Standish, P. M. See Cook, W. D., 275
Stupp, S. I. See Kusleika, R., 441

Taguchi, T. See Klomp, G. F., 865
Takeda, Y. See Klomp, G. F., 865
Tanzawa, H. See Hosaka, S., 261

Tarr, R. R.
—; Jorge, R.; Latta, L. L.; Ghandur-Mnaymneh, L.: Histopathology and metallurgical analysis of a removed Lane plate at 53 years postimplantation: A case report, 785
Taylor, S. R.
—; Gibbons, D. F.: Effect of surface texture on the soft tissue response to polymer implants, 205
Tidy, D. C. See Abou-Tabl, Z. M., 885
Tolbert, J. R. See Crowninshield, R. D., 819
Treharne, R. W. See Sander, T. W., 587
Triolo, P. M.
—; Andrade, J. D.: Surface modification and characterization of some commonly used catheter materials. II. Friction characterization, 149
—; Andrade, J. D.: Surface modification and evaluation of some commonly used catheter materials. I. Surface properties, 129
Trout, R. L. See Mabie, C. P., 691
Turner, D. T. See Abell, A. K., 501; Atsuta, M., 679
Turner, T. See Ronningen, H., 643

Uhlig, E. L. P.
—; Graydon, W. F.; Zingg, W.: The electro-osmotic actuation of implantable insulin micopumps, 931
Urban, R. See Ronningen, H., 643
Ursell, P. C. See Klomp, G. F., 865

van den Hooff, A. See Klein, C. P. A. T., 769
Vandersteenhoven, J. J.
—; Spector, M.: Histological investigation of bone induction by demineralized allogeneic bone matrix: A natural biomaterial for osseous reconstruction, 1003
—; Spector, M.: Osteoinduction within porous polysulfone implants at extraosseous sites using demineralized allogeneic bone matrix, 793
van der Valk, P.
—; van Pelt, A. W. J.; Busscher, H. J.; de Jong, H. P.; Wildevuur, Ch. R. H.; Arends, J.: Interaction of fibroblasts and polymer surfaces: relationship between surface free energy and fibroblast spreading, 807
Vanherle, G. See Lambrechts, P., 249
van Oss, C. J. See Neumann, A. W., 375
van Pelt, A. W. J. See van der Valk, P., 807
—; de Jong, H. P.; Busscher, H. J.; Arends, J.: Dispersion and polar surface free energies of human enamel, 637
Vartanian, H. See Robblee, L. S., 327
von Fraunhofer, J. A.
—; Spiers, R. R.: Strength testing of dental stone: A comparison of compressive, tensile, transverse, and shear strength tests, 293

Wallin, R. F. See Johnson, H. J., 571
Watanabe, A. See Imai, Y., 905
Weinstein, A. M. See Cook, S. D., 519, 873
Wennberg, A.
—; Mjor, I. A.; Hensten-Pettersen, A.: Biological evaluation of dental restorative materials–a comparison of different test methods, 23
Wevers, M. See Ducheyne, P., 45
Whitenton, E. P. See Mabie, C. P., 691
Whitley, J. Q. See Kusy, R. P., 411
Wildevuur, Ch. R. H. See van der Valk, P., 807
Williams, D. F. See Chu, C. C., 1029
Wilson, G. J. See Leidner, J., 229
Winters, S. See Jakobsen, R. J., 199
Wong, E. W. C. See Leidner, J., 229
Woo, S. L-Y.
—; Simon, B. R.; Akeson, W. H.; Gomez, M. A.; Seguchi, Y.: A new approach to the design of internal fixation plates, 427
Woodman, J. L.
—; Black, J.; Nunamaker, D. M.: Release of cobalt and nickel from a new total finger joint prosthesis made of vitallium, 655
Wright, T. M. See Hood, R. W., 829
Wu, W.
—; Cobb, E.; Dermann, K.; Rupp, N. W.: Detecting margin leakage of dental composite restorations, 37

Yoshida, F. See Okazaki, M., 561
Yoshimura, K. See Hosaka, S., 261
Young, B. R. See Lelah, M. D., 1
Yui, N.
—; Sanui, K.; Ogata, N.; Kataoka, K.; Okano, T.; Sakurai, Y.: Effect of crystallinity of polyamides on adhesion-separation behavior of granulocytes, 383

Zingg, W. See Neumann, A. W., 375; Uhlig, E. L. P., 931

Subject Index to Volume 17

Accelerated bone healing, 71
Acetic acid, [3-chloro-4-benzyloxyphenyl]-, ethenyl ester, polymer, 179
Acrylic–metal composite stiffness, 973
Adhesion, 109
Adhesion–separation behavior, 383
Adverse effects, 735, 741
Albumin coating, 91
Aliphatic polyamides, 905
Aluminum oxide, 395, 873
Animal model, 741
Aromatic polyamides, 905
Artificial teeth, 731(N)
Atomic absorption spectrophotometry, 655
Autimicrobial agents, 731(N)
Axial bending and torsional plate stiffnesses, 427

Bilipubin, 91
Bioceramics, 519
Biochemistry, 669
Biocompatibility, 91, 865
Biodegradable copolymer, 71
Biodegradation, 769
Biological evaluation, 23
Biomaterials, 109, 1003
Biomaterials evaluation, 571
Bioprosthetic surfaces, 345
Blood clotting, 613
Blood compatibility, 359
Blood vessel substitute, 1049
Bone, 59
Bone cement, 441, 973, 1041
Bone–cement interface, 669
Bone induction, 1003
Bone matrix, 1003
Bone remodeling, 427
Bone replacement, 973
Bone stresses, 427
Book reviews, 557, 899, 900

Cage implant system, 301
Calciumphosphate ceramics, 769
Carbon fiber reinforced, 1041
Cast cobalt–chromium alloy, 45
Catheter, 129, 149
Cell adhesion to biomaterial surfaces, 375(L)
Cell attachment, 345
Cell culture testing, 571
Cell division, 807
Cell spreading, 807
Cement strain, 819
Cleft palate, 411
Clinical applications of biomaterials, 539
Cobalt, 655
Collagen–heparin complex, 613
Column chromatography, 655
Composite materials (composites), 501
Composite resins, 275
Composites, 501, 679, 885
Compound identification, 913
Compressive strength, 293, 1041
Condensation polymers, 905
Consensus Development Conference, 539
Contact angle, 129, 149, 637
Contact lens, 261
Controlled release, 509
Corrosion, electrochemical, 489
Corrosion of η'(Cu–Sn) phase, 921
Corrosion release, 655
Corrosion sequence, 913
Coupling agents, 679
Creep polypropylene, 411
Crevice corrosion, 785
Crystallinity, 383
Cu-rich amalgam, 913

Dacron, 623
Deformation, of prosthetic joint materials, 829
Degradation, 1015, 1029
Demineralized allogeneic bone matrix, 793
Dental, 691
Dental amalgam, 921
Dental cements, 283
Dental composites, 37
Dental materials, 23, 679, 735
Dental restorations, 37
Denture base materials, 885
Deposits on contact lenses, 261
Dialysis surface modification, 993
Diffusion chamber, 865
Dimethacrylate resins, 275
Dissolution, 1079
Drug delivery, 109, 931, 1079

Electroosmosis, 931
Enamel, 637
Endodontic sealers, 741
Endothelial cell labeling, 345
Enzyme analysis, 301
Enzymes, 1029
ESCA, 129, 149

Fatigue, 587
Femoral component stems, 819
Fibroblasts, 807
Fixation method, metal composite, 643
Flexural strength, 395
Foreign body reaction, 785
Fracture, 83
Fracture morphology of bone cements, 441
Fretting corrosion, 785
Friction, 129, 149
Frit, 691
Fungus growth, 731(N)

Galvanic corrosion, 785
Galvanic couples, 489
Gel, 691
Granulocytes, 383
Guinea pigs, 735

Heart valve replacement, 715
Hematocrit dependence of mass transfer in hemodialyzers, 561

Hemodialyzers, 561
Hemolytic activity, 945
Hemoperfusion, 91
Heparin, 359
Heparin immobilization, 613
Heparinized material, 509
Heparin microenvironment, 509
Heparin–PVA, 509
Hip prosthesis, 45
Hip surface arthroplasty, 643
Histology, 669
Hybrid artifical pancreas, 855, 865
Hydrogels, 261, 359, 757, 855, 865
Hydrolysis, 1029
Hydrophilic methacrylate copolymers, 757
Hydroxylapatite, 769
2-Hydroxy-3-methacryloyloxypropyl ester, polymer, 179
Hypersensitivity, 741

Impact strength, 885
Implantation, 23
Implant corrosion, 785
Implant retrieval, 785
Implants, 873, 931
Implant surfaces, protein adsorption, 459
Impression materials, 501
Impurities, 395
Inflammatory response, 301
Ingrowth, 59
Inhibition, 275
Inorganic, 691
Interfaces of human bone and acrylic cements, 441
Internal fixation plates, 427
Intima, 623
Ion exchange, 91
Isobutyl 2-cyanoacrylate osseous adhesive, 167

Joint replacements, 829

Lane plate, 785
Letters, 375
Liver support, 91
Loosened total hip prostheses, 669
Loosening, 83
LTI carbon, 873

Macromolecules, 623
Macrophage, 185
Macroporous resins, 993
Margin leakage, 37
Mathematical modeling, 1079
Mathematical model of surface release, 509
Mechanical properties, 411, 679, 973
Mechanical testing, 873
Membrane diffusion chamber, 855
Metal–ceramic, 691
2-Methacryloyloxyethyl ester, polymer, 179
Methyl methacrylate, 261
Microcapsule, 959
Microfill, structure, 249
Microfilled composites, 249
Minimal histotoxicity, 167

Nickel, 655
Notch, 587

Orthopedic, 587
Osseous wound repair, 71
Osteochondral fracture repair, 167
Osteoinduction, 793

Periadhesive osseous healing, 167
Plasma protein adsorption, 959
Plastic flow and fracture implant materials, 973
Platelet adhesion, 959
Platelet deposition, 375(L)
PMMA, 1041
PMMA cements, 441
Polyactide, 71
Polyamides, crystallinity of, 383
Poly(carboxylic acid), 283
Polyelectrolyte cements, 1015
Polyelectrolytes, 283
Polyglactin 910, 185
Polyglycolide, 71
Polymer degradation, 301
Polymer–implant interface, 185
Polymer implants, 205
Polymerization kinetics, 275
Polymers, 129, 149
Polymer surfaces, 807
Poly(methyl methacrylate), 885
Polyurethane, 1, 389(N)
Porcelain, 691
Porous grafts, 229
Porous polyethylene, 59
Porous polymer, 229
Porous polysulfone, 793
Porous systems, 1079
Protein adsorption, 459
Protein behavior, 199(N)
Protein pool size, 655
Pseudomembrane, 669

Quantitative histology, implants, 519

Radiation, 411
Radiation effect, 1029
Radiopacity, 885
References in biomaterials, 715
Removal of urea, 597
Retrieval analysis, 829
Review, 109
Rheology, 275
Roller pump tubing, 389(N)

Screening, 735
SEM/EDS, 913
Semimicrocapacitor stimulation electrodes, 327
Semipermeable membrane, 855, 865
Setting viscosity, 283
Shear strength, 293
—, gypsum, 293
Silicone rubber, 389(N)
Silver staining, 37
Small-diameter vascular prostheses, 359
Soft denture liners, 731(N)
Soft tissue response, 205
Sorption, 993
Sorption capacity to urea and dialdehyde content, 597
Spallation, 389(N)
^{90}Sr beta particle transmission gauge, 843
Static fatigue, 395
Stimulation electrodes, etched tantalum, 327
Strain rate, 1041
Stress corrosion cracking, 467
Structure–activity, 945
Structure–biocompatibility relationship, 905
Subcutaneous implants, 741
Surface characteristics, 1, 637
Surface modification, 129, 149
Surfaces, 109
Surface texture, 205
Surface-treated oxystarch with albumin or gelatin, 597
Surgical implant alloys, 467
Surgical implants, corrosion behavior, 489
Suture materials, 1029
Sutures, 411

Swelling, 757

Tensile modulus, 757
Tensile strength, 757
Thermal cycling, 37
Thrombogenicity, 613
Thrombos deposition, 1
Tissue culture, 23
Titanium, 973
Tooth restorative materials, 679
Total hip replacement, 83
Total knee replacement, 829
Toxicity prediction, *in vitro–in vivo*, 945
Toxicity testing, 571
Transmission electron microscopy, 185
Trochanter, 587

UHMW polyethylene, 829
Ultrastructure, 185

Validity *in vitro* assay, 945
Vascular grafts, 229, 1049
Vascular prosthesis, 623
N-Vinylpyrrolidone, 261
Viscoelastic, 1041
In vitro corrosion, 467
In vivo biocompatibility, 301
In vivo corrosion, 467

Wear, of dental composite resins, 843
—, of prosthetic joint materials, 829
Wear tooth restoration, 501
Wet digestion, 655
β-Whitlockite, 769
Wire, 587
Work-of-fracture, 59

X-ray diffraction, 913

Zinc peroxide complexes, 731(N)